



## MATERIAL SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

PERMOSEAL (PTY) LTD  
Beverley Close  
Montague Gardens, 7441  
Cape Town

Tel. +27 (0)21 555-7400  
Fax +27 (0)21 552-1848  
Toll-free No. 0800 222 400  
Website [www.alcolin.com](http://www.alcolin.com)

**TRADE NAME** ALCOLIN HI-TACK RT  
Chemical family Acrylic compound  
Chemical name Acrylic mixture  
Synonyms None

Chemical abstract no. Mixture  
NIOSH no. Unknown  
Hazchem code Unknown  
UN no. Unknown

### 2. COMPOSITION / INFORMATION OF INGREDIENTS

Ingredient	CAS No.	Approx. (%)	Hazard Classification and Risk Phrases
Di-Butyl Phthalate	84-74-2	<5%	Unknown
Toluene	108-74-2	<15%	Unknown

### 3. HAZARDS IDENTIFICATION

Main hazard: Inhalation  
Health effects: Eyes Irritant to eyes  
Health effects: Skin Irritant on skin and prolonged contact may cause dryness of skin  
Health effects: Ingestion May cause stomach pain and vomiting. Aspiration into lungs may cause pneumonitis  
Health effects: Inhalation Vapours cause drowsiness/dizziness, disorientation and/or vertigo

### 4. FIRST-AID MEASURES

Product in eyes Remove any contact lenses from the eyes before rinsing thoroughly with plenty of water (lift eye lids). Rinse for at least 15 minutes. Seek medical attention if any discomfort continues  
Product on skin Wash skin with soap and water – do not use solvents! Seek medical attention if irritation persists  
Product ingested Never make an unconscious person vomit or drink fluids. Get the affected person to drink a lot of water in small gulps. Do not induce vomiting. Seek medical attention if discomfort continues  
Product inhaled Move to fresh air and seek medical if nausea and dizziness persists

### 5. FIRE-FIGHTING MEASURES

Extinguishing media Water, dry chemical powder, foam, carbon dioxide or sand  
Special hazards In case of fire, hazardous combustion-gases are formed – CO. Under certain conditions of combustion traces of other toxic substances cannot be excluded  
Protective clothing In case of fire, wear respiratory protection

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Surface may be slippery
Environmental precautions	Avoid contamination of ground and water surfaces
Small spills	if recovery is not feasible, absorb with dry sand, soil or non-reactive absorbent material or coagulate by sprinkling sodium chloride over the spill. If product has dried, scrape off the ground. Place in a container suitable for disposal
Large spills	Stop leak if without risk. Ventilate area. Prevent entry into drains or sewers. Clean as per small spills

---

## 7. HANDLING AND STORAGE

Suitable material	Steel container lined with polyethylene or polypropylene, polyethylene, PVC containers
Storage precautions	Keep product in a sealed container at temperatures between 5 and 30°C. Minimize contact with atmosphere to prevent contamination with micro-organisms

---

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational exposure limits

Name	TWA - 8 hrs	STEL - 15 min
Toluene	50ppm (Sk)	150ppm (Sk)

Engineering controls	Provide good ventilation when handling large quantities. No special measures are required if stored and handled as above
Respiratory Protection	Not required under normal conditions of use in a well-ventilated space
Hand Protection	Rubber gloves should be used if there is a risk of direct contact onto skin
Eye Protection	Safety glasses
Skin Protection	Observe the usual precautions when handling chemicals. Remove soiled or soaked clothing immediately
Other Protection	Wash hands at the end of each work shift and before eating

---

## 9. PHYSICAL PROPERTIES

- Appearance Smooth beige paste
  - Odour Mild odour
  - pH Approx 8.5
  - Boiling point Approx 100°C
  - Explosive properties None
  - Oxidising properties None
  - Density (g/cm<sup>3</sup> @ 20°C) Approx 1.29
  - Solubility water Miscible
  - Solubility solvent Unknown
  - Solubility coefficient Unknown
- 

## 10. STABILITY AND REACTIVITY

Conditions to avoid	Exposed air will form dry polymer skins. Avoid temperature extremes: below 5°C and above 30°C
Incompatible materials	Organic solvents, strong acids, strong alkalis, salts
Hazardous decomposition products	None

---

## 11. TOXICOLOGICAL INFORMATION

This product has not undergone any toxicological testing. Acute and chronic health effects are not expected as long as good industrial hygiene and safety precautions are followed

---

## 12. ECOLOGICAL INFORMATION

This product has not been tested for environmental effects. Based on its components, this product is unlikely to result in any detrimental ecological effects, however, notice should be made that this product is not readily biodegradable.

---

## 13. DISPOSABLE CONSIDERATIONS

Disposal methods	Whatever cannot be saved for recovery or recycling should be handled according to current local waste disposal legislation. Do not allow to enter drains or sewers. Do not allow to enter any body of water
Disposal of packaging	Contaminated packaging should be emptied as far as possible and after appropriate cleaning may be taken for reuse or disposed of in approved facility in accordance with current local legislation

---

## 14. TRANSPORT REGULATIONS

UN no		Not regulated
Substance identity no.		Not regulated
<b>Road / rail transport</b>	ADR / RID	Not regulated
<b>Marine Transport</b>	IMDG	Not regulated
<b>Inland waterways</b>	ADNR	Not regulated
<b>Air transport</b>	IATA	Not regulated

---

## 15. REGULATORY INFORMATION

EEC hazard classification	Unknown
Risk phrases	n/a
Safety phrases	n/a
National legislation	n/a

---

## 16. OTHER INFORMATION

For intended use and applications see the Technical Data Sheet for the product. The information provided in this Material Safety Data Sheet is based on the present state of our knowledge. This data is intended to enable safety assessments to be made and should not be construed as guaranteeing specific properties. Recipients of our product must take responsibility for observing existing laws and regulations